



AquaPure™ DF-68

Aquapure DF-68 is a concentrated defoamer based on new synthetic technology that affords very efficient foam control during wastewater treatment in paint lines and waste streams high in starch content such as a potato processing. This product can be metered in neat or diluted as needed. Rate of use should not exceed 1% of the total system volume.

Features & Benefits

Synthetic technology	Can be used in systems which cannot tolerate silicone applications
Concentrated defoamer	Efficient foam control for a variety of waste streams, can be diluted as needed for optimum results
Versatile product	Eliminates foaming in high turbid water in metal finishing and food processing wastewater systems

Physical Data

Appearance	Translucent, light tint
Specific gravity	0.93 g/L
Weight	7.76 lb/Gal
Flash point	>200°C
Solubility	Dispersible



Typical Applications

- High turbid water washing
- Paint lines
- Cheese and Dairy
- Potato processing
- Vegetable washing

Caution

DO NOT FREEZE

WARRANTY: THE QUALITY OF THIS PRODUCT IS GUARANTEED ON SHIPMENT FROM OUR PLANT. IF THE USE RECOMMENDATIONS ARE FOLLOWED, DESIRED RESULTS WILL BE OBTAINED. SINCE THE USE OF OUR PRODUCTS IS BEYOND OUR CONTROL, NO GUARANTEE EXPRESSED OR IMPLIED IS MADE AS TO THE EFFECTS OF SUCH USE, OR THE RESULTS TO BE OBTAINED.

Our People. Your Problem Solvers.

For more information on this process,
please call us at 203.756.5521 or email: techservice@hubbardhall.com

Hubbard-Hall holds certifications for **ISO 9001:2015**, Responsible Distribution, as accredited by the **ACD** (Alliance for Chemical Distributors) and as a **Women-Owned Small Business**, as well as maintaining an association with **Omni-Chem**¹³⁶.